


Comfort Series SUBMITTAL DATA



5Piece Sectional BF Shower

The sectional shower shall be RBS 6238 BF 5 Piece center drain. Finished surface shall be of a sanitary-grade polyester Gelcoat exhibiting a minimal thickness of 15 dry mils, and a finished cured Barcoal hardness of 80-90 as tested with ASTM D-2583. Unit construction shall be of molded reinforced fiberglass with a minimum 15% fiberglass content.


The unit has outside dimensions of: 62 5/8" x 38 1/4" x 79". The 5 piece shower shall meet CSA B45.5, IAPMO Z124, HUD, FHA, ADA, ANSI A117.1-2003 Home Innovation Research Lab, and shall meet the requirements of Southern Building Code.

NOTE: FOLD UP SEAT AND GRAB BAR PACKAGE REQUIRED FOR ADA AND ANSI A117.

The enclosure shall be equipped with the following installed accessories:


- 1) Low entry 3/4" Change Of Level Threshold,
- 2) Tile Finish
- 3) Low Molded Shelf
- 4) Five Piece Sectional Design
- 4) Full Wood Backing On Walls
- 5) Factory installed Easy Base self sustaining bottom.

TOP VIEW



DUE TO THE NATURE OF THE MATERIALS INVOLVED
UNIT DIMENSIONS MAY VARY ± 1/2 INCH

Detail of 3/4" Threshold



Drawing#: RBS6238 BF .75 5P FWB Easy Base

Approved By Print Name:

Date Approved:

Date: 3-31-09

Revised: 12-17-13

Approved By Signature:

Wholesaler:

Quote No.


ORDER ENTRY BY FAX 888.802.8186 OR EMAIL orders@healthathomeinc.com

Office 704.960.0148 or 980.900.2845 www.healthathomeinc.com

Products that enhance safety, vitality, & longevity at home.

Board Placement Drawing

SUBMITTAL DATA © 2004



DUE TO THE NATURE OF THE MATERIALS INVOLVED
 UNIT DIMENSIONS MAY VARY ± 1/2 INCH

Job Name:			
Model No.:		Drawing#: RBS6238 BF .75 5P FWB Easy Base-BP	
Approved by:	Date Approved:	Date: 3-31-09	Revised: 12-17-13
Rep.:	Wholesaler:	Quote No.:	